

INTEGRATED STEEL BUILDING

PT SABE INDONESIA



SABE DECK®

CATALOG
PRODUCT



CATALOG PRODUCT

METAL ROOFING & CLADDING

Varian Warna :



TRIM DIAMOND ®

Kode Barang	TR5-75, TR5-105
-------------	-----------------

TR5-75
5 GELOMBANG

TR5-105
5 GELOMBANG

SPAN DIAMOND ®

Kode Barang	SP9-68, SP12-93
-------------	-----------------

SP9-68

SP12-93

STANDART & SMALL CORRUGATED

Kode Barang	GB-800, GK-800, GK-1060
-------------	-------------------------

GB-800
11 GELOMBANG

GK-800
25 GELOMBANG

GK-1060
33 GELOMBANG

ATAP 1 NAGA

1 NAGA®
PALING LEBAR PALING EFEKTIF

Effective 772 mm

POLY-E DIAMOND ® ROOF INSULATION

Kode Barang	POLY-E3, POLY-E5
Insulation	POLYETHYLENE + ALUMINIUM DIAMOND EMOSS

BOLTLESS KLIPOK ® ROOF

Kode Barang	KL4-99
Features	The longest klip-lok in Indonesia (Effective length 996mm)

ATAP METAL TANPA BAUT
Bisa di sesuaikan

METAL TRUSS DIAMOND ®

Kode Barang	R 32	Kode Barang	C 75
Features	Asymmetric design Double fold	Features	Double Fold, Thickness until 1mm TCT

RENG R32 BESAR

CANAL C-75 BESAR

WALL ANGLE, HOLLOW 2x4, HOLLOW 4x4

WALL ANGLE

Kode Barang	WA 2X2
Features	Double Fold Safety

HOLLOW

HOLLOW 2X4

Kode Barang	H 2X4
Features	Double Fold Safety

HOLLOW 4X4

Kode Barang	H 4X4
Features	Double Fold Safety

SABEDECK ® METAL

Kode Barang	SD - 1000 FLOORDECK
Features	Thickness start on 1mm, 1.2mm and 1.5mm The most embossed metal deck in Indonesia

TRIM OVALE ® ROOF

Kode Barang	CR2, CR3, CR4
-------------	---------------

CR2

CR3


CR4

CATALOG PRODUCT

METAL ROOF ®


Kode Barang	G1, G2, G3, Gn
Length of Leaves	R30, R38, Rxx

n : Number of stacking | *xx* : Length of leaves (cm)



NOK / WUWUNGAN / BUMBUNGAN

Kode Barang	NOK C, NOK V
-------------	--------------




OTHERS

Flasing	Bisa Request Bentuk
Galvalum Roll	Bisa Request Bentuk

PRODUK FIBERGLASS

ATAP PROFIL TRIM / SPAN / CORRUGATED

Kode Barang	TR5-75, TR5-105, SP9-68, SP12-93, GB-800, GK-800
Catatan	BISA PRODUKSI SESUAI PESANAN EXISTING ROOF




TANGKI AIR RUMAH & INDUSTRIAL


Kode Barang	CONICAL, CYLINDER, HORIZONTAL, PANEL
Catatan	VOLUME SESUAI PESANAN



PRODUK FIBERGLASS LAINNYA



CATALOG PRODUCT





SPESIFIKASI TEKNIS

PANEL ATAP DINGIN

Kode	TU5-75
Foam Material	PUR, PIR
Lebar Efektif	750 mm
Upper Skin	Metal GL, PPGL, GI, PPGI 0.25-0.50 mm
Bottom Skin	Metal GL, PPGL, GI, PPGI, AL 0.25 mm / PVC Sheet
Valley / Overall Foam	12 - 25 mm / 4 - 5 CM
Foam Density	40 - 45 Kg/m ³
Joint System	Overlapping Ribs
Gutter & Joint	Atap Dinding TR5-75 & Nok-V & Flashing

Gambar Teknik ATAP SALJU



SPESIFIKASI TEKNIS

PANEL DINDING DINGIN

Kode	WU-820
Foam Material	PUR, PIR
Lebar Efektif	820 mm
Upper Skin	Metal GL, PPGL, GI, PPGI 0.30 - 0.60 mm
Bottom Skin	Metal GL, PPGL, GI, PPGI 0.30 - 0.60 mm
Foam Thickness	50, 75, 100, 120 mm
Foam Density	40 - 45 Kg/m ³
Joint System	Slip Joint System

Unduh Katalog



Company Profile



AKESesoris

SELF DRILLING SCREW



SEALANT NON-ACID



STEEL ENDCAP



HUBUNGI KAMI